

PRECAUTIONARY STATEMENTS

Hazards to Humans and Domestic Animals

Caution: May be harmful if swallowed. Avoid contact with eyes, skin or clothing. Wash thoroughly after handling.

Note to Physician: 1 Naphthyl N-Methylcarbamate is a moderate reversible cholinesterase inhibitor.

Atropine in antidotal.

Personal Protective Equipment: Applicators and other handlers must wear:

- A. long-sleeved shirt and long pants
- B. waterproof gloves
- C. shoes plus socks

ENVIRONMENTAL HAZARDS

This pesticide is extremely toxic to aquatic and estuarine invertebrates. Do not apply directly to water or wetlands. Do not contaminate water by cleaning of equipment or disposal of wastes.

STORAGE AND DISPOSAL

Do not contaminate water, food or feed by storage or disposal. Open dumping is prohibited.

Pesticide Disposal: Pesticide or rinse water that cannot be used according to label instruction must be disposed of according to applicable Federal, State or local procedures.

Container Disposal: Triple rinse (or equivalent). Then offer for recycling or reconditioning or dispose of in a sanitary landfill or by incineration if allowed by state and local authorities.

GENERAL INFORMATION

Read entire label. Use in strict accordance with label directions and cautions.

General: Broadcast application may be made with spreader and applicator, aircraft or by hand. Use gloves and wash thoroughly following application. Treatment may be repeated as necessary.

Crop and Rangeland: Apply 2 to 10 pounds per acre for control of grasshoppers, crickets and cutworms.

Home and Garden: Use 1/2 to 2 1/2 pounds per 10,000 square feet of area. Use the higher application rates when insect density is high and crops or garden are threatened.

For suppression of grasshoppers and crickets, rates of 1/2 to 1 1/2 pounds per acre may be used.



ECOBРАН

Bran for GRASSHOPPERS

For Lawn, Garden & Agricultural Control of Grasshoppers, Crickets, Army Worms, Cutworms, Darkling Ground Beetles, Mole Crickets, Earwigs, and Sow Bugs.

Active Ingredients by Weight

Carbaryl2%

(1-naphthyl N-methylcarbamate)

Inert Ingredients98%

TOTAL100%

KEEP OUT OF REACH OF CHILDREN CAUTION

Statement of Practical Treatment

1 Naphthyl N-Methylcarbamate

If Swallowed: Drink 1 or 2 glasses of water and induce vomiting by touching finger to back of throat.

If On Skin: Wash thoroughly with soap and water.

If In Eyes: Flush with plenty of water.

NOTICE OF WARRANTY

The manufacturer warrants that the material contained herein conforms to the chemical description on the label for the purposes stated in the Directions For Use. When purchasing the product, the buyer assumes all risks of the handling and use which may result in damage or losses that are beyond the control of the seller, as in the event of incorrect method of application, incompatibility with other products used, or the presence on crops or soil of other substances. There is no other warranty made by the manufacturer as to the fitness or merchantability. The limit of liability of the manufacturer or any seller for any losses, damage or injuries resulting from the use of this product will be the purchase price paid for this product by the buyer or user for the quantity involved. No verbal or written change to this warranty is valid. All buyers and users of this product are understood to have accepted all terms and conditions of this warranty.



Manufactured by:
Peacock Industries
Hague, SK. Canada. S0K 1X0

EPA Est NO. 67650-CAN-1 EPA Reg NO. 67650-2 Net Weight 2 lbs

DIRECTIONS FOR USE

It is a violation of federal law to use this product in a manner inconsistent with its labeling. For any requirements specific to your State or Tribe, consult the agency responsible for pesticide regulation.

AGRICULTURAL USE REQUIREMENTS

Use this product only in accordance with its labeling and with the Worker Protection Standard 40 CFR part 170. This Standard contains requirements for the protection of agricultural workers on farms, forests, nurseries and greenhouses, and handlers of agricultural pesticides. It contains requirements for training, decontamination, notification, and emergency assistance. It also contains specific instructions and exceptions pertaining to the statements on this label about personal protective equipment (PPE), and restricted-entry interval. The requirements in this box only apply to uses or the product that are covered by the Worker Protection Standard. Do not apply this product in a way that will contact workers or other persons, either directly or through drift. Only protected handlers may be in the area during application.

Do not enter or allow worker entry into treated areas during the restricted entry interval (REI) or 12 hours. PPE required for early entry to treated areas that is permitted under the Worker Protection Standard and that involves contact with anything that has been treated, such as plants, soil or water, is coveralls, waterproof gloves, and shoes plus socks.

IMPORTANT PRE-HARVEST INFORMATION

Tolerance established under the Federal Food, Drug and Cosmetic Act permit the sale of crops bearing probable carbaryl residues when carbaryl is used in accordance with label directions. Subsequent planting of food and feed crops on treated soil must be made with crops on this or other carbaryl label(s).

CROPS AND DAYS BETWEEN APPLICATION AND HARVEST

Beans, carrots, corn, cucumbers, eggplants, melons, okra, peas, peppers, potatoes, squash, sweet corn, tomatoes	NONE
Asparagus, strawberries, apples, walnuts, peaches, cherries	1 DAY
Pears, broccoli, brussel sprouts, cabbage, cauliflower, head lettuce, garden beets (roots), horseradish, apricots, parsnips, radishes, rutabagas, turnips (roots)	3 DAYS
Citrus	5 DAYS
Cotton, alfalfa	7 DAYS
Forest land, grassland, parks, pastures, rangeland, recreation areas, wasteland, hay, collard, endive (escarole), garden beets (tops), kale, leaf lettuce, parsley, spinach, sugar beets, swiss chard, turnips (tops)	14 DAYS
Wheat	21 DAYS
Almond	28 DAYS

